



GARDEN&DIY



The innovative proposals by TENAX are the result of the Italian multinational's commitment since 1960, specialising in plastic polymer extrusion.

TENAX's know-how of the garden and outdoor market also developed in collaboration with leading Italian and European distributors, was a decisive factor in manufacturing a vast and specialist range of meshes and plastic products that are functional, easy to use and long lasting for fencing, protection, care and decoration of the outdoors.

TENAX also offers its clients multiple tools and solutions to customise sales points, enhance display space and improve sell-out: from the modular systems designed to adapt to different sales point layouts, to self-standing displays for self-service solutions and cutting by the metre.

The objective is to always ensure our success becomes your success.



Plastic, Quality, **Environment**

Plastic has changed the world and the way we live: it is versatile, practical, inexpensive and colourful and does not require maintenance. Most of all, it makes daily living easier.

TENAX meshes are manufactured with prime quality polymers and additives carefully selected to quarantee colour and the characteristics of the products stand the test of time. They do not contain lead or other heavy metals, are non-toxic and 100% recyclable to safeguard consumers and the environment. The manufacturing processes are constantly and rigorously controlled and certified according to the strictest European quality standards. TENAX products are used in five sectors: gardening, agriculture, construction, geotechnics and industrial applications.

TENAX's strengths

- ▼ The experience and reliability of an international group on the market for over 50 years
- √ Flexible, versatile and innovative production
- ✓ Exclusive production processes and end products *Made in Italy*
- ▼ The TENAX quality management system in compliance with the UNI EN ISO 9001:2008 standard is certified by SGS Italia and SGS UK.
- ✓ Advanced, automated logistics and stock availability all year
- √ Wide range of constantly updated products
- ✓ Attention and care to packaging and display
- √ Constantly updated website full of information
- √ Capillary network of collaborators

New

products for home and garden

NEW 2015



ECOLOGY

TENAX's philosophy has always been centred around the need to pay attention to the ecological and environmental sustainability of its products. For this reason, all TENAX products are 100% recyclable. As of this year, with ECOQUADRA, TENAX's most famous fencing, QUADRA 10 goes green, applying plastic obtained from polymers which have been produced 100% from used customer packaging (plastic containers). This product is able to reach target buyers who are particularly sensitive to environmental



TENAX uses only the finest polymers, made even more resistant thanks to innovative processes such as molecular orientation. This allows the company to produce highly effective nets such as the new MILLENNIUM, plastic residential fencing. Another example of TENAX's innovative spirit is MISSISSIPPI, the plastic screen, which, thanks to its "side swing" technology, is able to filter wind, and **ALT**, the new, top quality anti-slip underlay made of EVA to keep household rugs



TRENDY & FASHION

New textures and attractive colours are the main features of many of TENAX's new creations in its 2015 collection. Keeping pace with the latest trends, these products are a perfect match for modern buildings. These design and decorative objects, like the new TEXSTYLE, give a touch of style and go beyond the mere functionality aspect, attracting target customers who are particularly sensitive to a building's aesthetic impact



Plastic is the material that Nature forgot to invent

Paul John Flory
(Nobel prize for chemistry 1974)



Diactic protection	
Plastic protection	
ECOQUADRA	
QUADRA 10	
QUADRA 05	
QUADRA 20	1
CUADRADA 05	1
CUADRADA 10	1
CUADRADA 20	1
AIRY	1
MISTRAL	1
TRIPLET	1
EXAGON	1
HOBBY 10	1
HOBBY 30	1
Plastic fences	
MILLENNIUM	1
RANCH	1
LIMIT GARDEN	2
CINTOFLEX M	2
CINTOFLEX D	2
CINTOFLEX E	2
CINTOFLEX C	2
AVIARY	2
Wire meshes	
DELIMET	2
PLAMET 10	2
PLAMET 20	2
QUADRAMET 10	2
QUADRAMET 20	2
EXAMET 10	2
EXAMET 25	2
Decorative lawn edging	
FLORET	2
GOTICDECÒ	3
ARCODECÒ	3
ONDAMET	3
ONDADECÒ	0

ONDADECÒ





SCREENING	
Woven nets	
TEXSTYLE	33
BERMUDA	34
COIMBRA	35
SOLEADO GLAM	35
SOLEADO	36
SOLEADO PRO	36
SOLEADO HG	36
SOLEADO BICOLOR	37
BAHIA	37
SUNSHINE KIT	38
JAMAICA	39
LUMINAX	39
Synthetic hedges	
DIVY PUZZLE	43
DIVY HEDERA	44
DIVY X-TENS HEDERA	44
DIVY LAURUS	45
DIVY LAURUS NET	45
DIVY EXTRA	46
DIVY OPTIMA	46
DIVY SIMPLE	47
Synthetic reeds	
COLORADO	49
NILO PLUS	50
NILO	50

MISSISSIPPI

31

51



Synthetic lawns	
TERRANOVA MAT	55
FRESH MAT	55
IRISH MAT	56
IRISH MAT 40	56
SPECIAL MAT	57
STANDARD GREEN	57
TS1	58
Lawn reinforcemer	nt
TR	63
GP FLEX	64
PRATOBLOCK	65



Protection from hailstones, birds, small animals and moles		
DEFENDER PLUS	8	
DEFENDER	8	
UTILFENDER	8	
ORTOFLEX	9	
ORTOFLEX BIS	9	
QUADRA 10	9	

83

84

92

TREPLAS

COROLLA

AVIARY

5.1	-	4
34 (80)	to Tax	
		A STATE OF
VECETA	RI E C <i>I</i>	IDNEN
VEGETA AND PL	VIL OF	CARE
SPRINGISUMME		CAILL

JIVIIVIEK		AUTUMN	
owth		Outdoor maintenance	
	67	COVER ALL	96
IEL	68	NET FILM	97
	69	SKIP BAG MAXI	98
	69	GARDEN BAG	98
	70	GARDEN BAG 100	98
	71	OLIRETE	99
ontrol		WINTER	

VVIIVILA	
Protection from cold	
ORTOCLIMA EXTRA	102
ORTOCLIMA PLUS	102
SACCOCLIMA PLUS	103
SACCOCLIMA	103
TUBOCLIMA PLUS	105



Home maintenance and DIY		
COAT FILM PLUS	107	
PAINTER PAD	107	
AIRPOP	108	
JOLLY	108	
LEVEX TUBE	109	
Mosquito nets		
TROPICAL	111	
MOSQUITO	112	



MERCHANDISING

MODULAR SHELF DISPLAYS	116
SELF-STANDING DISPLAYS	119
TGM DISPLAYS	120

TENAX reserves the right at any time and without a prior notice to make changes to the products and contents of the catalogues and price lists. We do not assume any responsibility for printing errors. All property rights and copyright are reserved.

No reproduction of the text or photographs is allowed,

unless specifically authorized by TENAX.














The traditional QUADRA 10 mesh net goes ECO! Now this mesh net is produced from 100% recycled plastic for low environmental impact. Ideal as additional protection on fences and gates, finished off with smooth edges on both sides.

- ✓ Made from 100% recycled plastic
- \checkmark No fresh raw material waste, all material used in production was no longer useable for other applications
- √ With reinforced edges
- √ UV resistant



Plastic protection

See CODES LIST page II

TENAX protective plastic meshes provide a simple, versatile and colourful solution for a wide range of uses. Depending on the size and the colour of the mesh, they can be used as protection on balconies, railings and air vents, as a windbreak or to screen items from view. They are easy to shape and install and are made from recyclable, non-toxic, high quality materials, and so are child-friendly products.



SHAPES AND COLOURS AVAILABLE See CODES LIST page II

Prepack - Roll

1x5 m 1x10 m

Bulk rolls

1x50 m

















The most sold and used mesh, in a vast range of shapes and colours, to match any fencing or gate. Also perfect on balconies because its finished edges means no sharp sides. At 0.5 m high, it can also be used to protect young plants.

- √ With a selvage finish and no sharp sides
- ✓ Roll to cut with metre tape measure
- \checkmark Available in many colours, together with TENAX classic green









QUADRA 10



Prepack - Roll

0,5x3 m*

1x5 m

1x10 m

1x50 m

1,2x50 m

plants (Details at page 92)

° with metercounter


Bulk rolls

0,5x30 m*° 0,5x50 m* 0,8x50 m

Plastic, square shaped mesh. Easily shaped to the pot measurement, cut to match the plant size. It stops cats digging and does not harm their paws.




















Finished with unsharp edging on both sides, it can be installed on balcony railings to avoid even the smallest objects falling. Measuring 1.5 m, it is the perfect additional fine mesh for gates and fences. This year, the 1 m measurement is also available in new colours.





















0,5x5 m 1x3 m 1x5 m

Bulk rolls 1x50 m

* with metercounter











The larger mesh size is ideal in gardens, as additional protection on gates and fences. With a selvage finish on both sides. The 0.5 m high measurement can also be used as edging in gardens.















CUADRADA 05

Square mesh nets made up of overlapping filaments which create a very different aesthetic effect. These do not have reinforcements along the edges, and so can be cut to the user's needs and installed easily.

CUADRADA 10

A mesh net 10mm in width, the most popular and widely-used. Suitable for use on balconies, on


With its larger squares, Cuadrada 20 can also be used in the garden. This provides additional protection to existing fences.



railings and on fences.







SHAPES AND COLOURS AVAILABLE See CODES LIST page IV

CUADRADA 05 CUADRADA 10 CUADRADA 20

Prepack - Roll 1x5 m

Bulk rolls 1x25 m*

* with metercounter





Trendy + Tashion



SHAPES AND COLOURS AVAILABLE See CODES LIST page V

Prepack - Roll 1x5 m

Bulk rolls 1x30 m*

* with metercounter













With a small rounded mesh, Airy has been designed to provide a decorative wind screen on balconies, patios and terraces.







SHAPES AND COLOURS AVAILABLE See CODES LIST page V

Prepack - Roll 1x5 m

Bulk rolls 1x30 m*

* with metercounter



The plastic wind breaking












This product has been specially designed to incorporate two different rectangular meshes, thus creating a tight pattern that keeps out strong winds.


























A highly decorative plastic net with an original structure, made up of three filaments of different shapes and sizes. Resistant and providing standard screening cover, it is ideal for those who want to mitigate the effect of wind on balconies and terraces.









SHAPES AND COLOURS AVAILABLE See CODES LIST page V

Prepack - Roll 1x3 m

Bulk rolls 1x25 m










With its reinforced and unsharp edges, this hexagonal mesh is also used on fences and gates as a protective mesh. Available in multiple heights to meet all needs.







HOBBY 10 The resistant net with rectangular mesh

Particularly resistant, Hobby 10 is ideal as additional protection on boundaries and gates.



SHAPES AND COLOURS AVAILABLE See CODES LIST page VI



Bulk rolls 1x50 m





1x5 m Green and Silver



Resistant plastic rectangular mesh which can be easily installed on gates and railings as additional protection to prevent dogs and other domestic animals escaping.





HOBBY 10





1x50 m 1,2x50 m

* with metercounter

Prepack - Roll

0.5x5 m 1x5 m

Bulk rolls 0.5x30 m* 0,5x50 m 0,6x50 m 0,8x50 m 1x30 m*







A larger mesh, also available 50 cm high, as a boundary or to fence off a garden or vegetable plot.





SHAPES AND COLOURS AVAILABLE See CODES LIST page VI


Prepack - Roll

0.5x5 m 1x5 m

Bulk rolls 1x50 m


PLASTIC PROTECTION

nstallation and accessories




Easy to cut and shape

All TENAX plastic meshes are easily cut to the desired measurement.



Fastening on metal railings

and balconies.



Fastening on wooden fencing

poles or fences.

ACCESSORIES



NEW 2015





PLASTIC TIES XL

- ✓ Perfect for fences and gates, very thick
- ✓ Length 29 cm and width 4.8 mm

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVII

Plastic ties 29 cm - 50 pz







PLASTIC TIES

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVII

Plastic ties 10 cm - 50 pz

Plastic ties 20 cm - 50pz



PROMOBOX*

is available to display the ties in a convenient and functional manner and ensure product visibility.

(h. 1 m - Ø 23 cm)

Already filled to your liking, with:

- 200 packs Plastic ties 10 cm green





SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

Staples - 100 pz

TETTAX





TOP QUALITY
















A fencing mesh which is similar to metal both in its appearance and because of its very high level of traction, tear and break resistance. It's ideal as permanent fencing for houses, especially in seaside areas, because it is not affected by saline corrosion. The mesh rolls are light and easy to move around.

- \checkmark The first plastic mesh net with a metal-like resistance and appearance
- √ Ideal for permanent fencing
- ✓ Perfect for seaside areas as it is resistant to sea and air corrosion
- √ Does not rust, resistant to any weather condition




AWARDS

TENAX MILLENNIUM was successfully presented at the JDC, Journées des Collections Jardin 2014, in the Trend Space, dedicated to Innovations in the Gardening sector, winning first prize.











Plastic fences

See CODES LIST page VI

The TENAX boundary meshes in polypropylene undergo a special process of molecular orientation of the wires in two directions to further resist tearing, pullout and tensile strength. The TENAX PP bioriented meshes offer considerable advantages over metal meshes: easy installation, lightweight to transport, unchanged by atmospheric agents, making it perfect for permanent boundaries. MILLENNIUM and RANCH, with more resistant wires, are recommended for permanent residential boundaries; while CINTOFLEX and AVIARY, which are lighter and cheaper, are ideal to create aviaries and fence in small animals.





RANCH A formidable boundary mesh








The exclusive wire production process guarantees the highest tensile strength and makes it long lasting over time. The mesh has flat and lighter wires compared to the MILLENNIUM, though maintaining its high strength. Ideal to fence in animals and as a permanent boundary in green areas, gardens and sports complexes.





SHAPES AND COLOURS AVAILABLE

See CODES LIST page VII

Prepack - Roll





RANCH 1,5x10 m Gree




FENCES SPACE SPECIFICALLY FOR YOUR DOG

Very high strength and long lasting plastic mesh, ideal to fence off areas specifically for mediumsmall sized dogs.






ΤΞΠΔΧ



CORRECT INSTALLATION OF TENAX PERMANENT FENCING

USE TENAX ORIGINAL ACCESSORIES




Define the number of poles to use

Measure and trace the perimeter to fence, defining the number of poles necessary, considering a pole approximately every 2 m and arrows on the corners.

Outline the area to fence

Position the pickets along the perimeter and hang a guide wire to use to position the perfectly aligned poles.



Position the TENAX EXTRA ARROWS for reinforcement

You are advised to install the poles on the arrows, using two TENAX EXTRA ARROWS for bracing for greater stability and strength.



Then install the poles along the entire perimeter to fence, positioning them approximately 2 m from one another. The poles can be positioned in cement or directly in the ground.

Installing poles in cement

Make holes in the ground, with the pole or machinery such as bores or mini-excavators, approximately 20-30 cm deep for a width of 20-30 cm; pour cement in the hole and position the poles until you touch the bottom, checking they are perfectly perpendicular to the ground and aligned with the previously hung twine. Wait until the cement is completely dry before installing the fence, to avoid misaligning the poles when installing the mesh.

Note: The height of the pole should be at least 1 cm over the mesh. The height of the poles to install with cement should therefore be calculated as follows:

h fence + 20/30 cm to install with cement + 1/2 cm for the pole over the mesh

Installing poles in the ground

Make holes in the ground that are approximately 50 cm deep. Place the poles in the ground, cover with the dug earth and compact.


Note: The height of the pole should be at least 1 cm over the mesh. The height of the poles to install with cement should therefore be calculated as follows:


h fence + 50 cm underground + 1/2 cm for the pole over the mesh











Installing plastic coated metal

Having positioned the poles, strengthen the fence by pulling the metal, plastic coated TENAX EXTRA WIRE through the holes of each stake and fasten the relevant TENAX WIRE TENSIONERS. You are advised to position a plastic coated metal wire every 50 cm high. Position the wire tensioners at a distance of approximately 15 cm from the pole and corresponding to each wire positioned. Pass some wire in the specific wire tensioner mechanism. With the help of a pincer or a wrench, tighten the plastic coated wires.

Installing the mesh

Unroll the mesh along the poles positioned and fasten the mesh to the wires and the relevant poles with the help of the metal, plastic coated TENAX EXTRA WIRE or the specific plastic TIES. Initially unroll the entire mesh and fasten it temporarily to the poles. Later, you can tighten and refine it.

ACCESSORIES



EXTRA T POST

Painted steel pole

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVII

- h1m
- h 1.25 m
- h 1.5 m
- h 1,75 m
- h 2 m

EXTRA ARROW

Painted steel arrow

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVI

h 1.2 m h 1,5 m





TENDIFILO

SHAPES AND COLOURS AVAILABLE See CODES LIST page XL

10 cm



IDEAL FOR WIRE TENSIONER

EXTRA WIRE

Extra-heavy plastic coated metal wire

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVII

100 m - Ø 1.8 mm ■






IDEAL TO FASTEN MESH TO THE WIRE TENSIONER AND THE POLE

PLASTIC-COATED METAL WIRE

Heavy

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

30 m - Ø 2 mm



LIMIT GARDEN Removable fencing







Modular barrier made of metal and plastic, used in the temporary delimitation of seeded areas, playgrounds or working areas. Self-supporting and very easy to install, it is washable and reusable. Complementary fixing elements available on demand.

Emmuninis



SHAPES AND COLOURS AVAILABLE See CODES LIST page VII

Prepack

1x4 m



LIMIT ACCESSORIES

PICKET See CODES LIST page VII

h 60 cm

@0000000000000000000000000000000000

..................

FLAT FOOT See CODES LIST page VII

48 cm - h 17 cm



LIMIT GARDEN



Ideal to temporarily fence specific areas for animals and create agility dog courses. It is self-standing and can be immediately installed.





OUTLINES AGILITY DOG COURSES



LIMIT GARDEN









CINTOFLEX M

A mesh which, thanks to the particular production process, is light and flexible but very resistant to tearing. It is mainly used to build small bird and parrot cages and chicken runs.

CINTOFLEX D

The wider mesh can successfully be applied to create fences for small domestic and courtyard



CINTOFLEX E


With its smaller mesh, can be used to create aviaries for small birds and for many other applications. It is mainly used to build chicken runs.



CINTOFLEX C

With its larger mesh it is perfect for enclosing and protecting pitches, courts and playing fields.















An intermediate plastic grid mesh that is light and flexible, specifically for horizontal use in many applications, to close cages and chicken runs (to prevent intrusion of other birds or farmed birds escaping) to covering garden ponds, to protect them from leaves in the autumn. It is also advised as an anti-mole protection (see page 92)

SHAPES AND COLOURS AVAILABLE See CODES LIST page VIII

Bulk rolls

1x200 m

1.5x200 m

2x200 m


4x200 m





Installation and accessories

USE TENAX ORIGINAL ACCESSORIES





SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

Staples - 100 pz



Position the TENAX EXTRA T POSTS along the perimeter of the chicken run. Strengthen the fence, pulling the metal wire through the holes on each pole. Unroll the plastic TENAX CINTOFLEX mesh along the poles positioned and fasten them with the metal wire or TENAX ties. On wooden structures, the mesh can be fastened using the TENAX staples. To prevent intrusion of other birds and to avoid other farmed birds escaping, you are advised to close the top of the chicken run, covering it with TENAX AVIARY plastic mesh, positioned horizontally.

CINTOFLEX M

17x24 mm

CINTOFLEX D

21x34 mm

CINTOFLEX E

12x14 mm

CINTOFLEX C

44x49 mm

SHAPES AND COLOURS AVAILABLE

CINTOFLEX M

2x100 m; 4,6x100 m

CINTOFLEX D

1x100 m; 1,5x100 m 2x100 m; 3x100 m 4,6x100 m

CINTOFLEX E Bulk rolls

1x100 m; 2x100 m

CINTOFLEX C

3x100 m; 4,6x100 m

4x100 m

Bulk rolls

Bulk rolls

Prepack - Roll 1x10 m

Bulk rolls 1x100 m; 1,5x100 m

See CODES LIST page VII-VII

TOP QUALITY















Ø 2,1 mm SHAPES AND COLOURS AVAILABLE See CODES LIST page IX Bulk rolls 0.8x25 m 1x25 m 1,2x25 m 1,5x25 m 2x25 m

PLAMET PLAMET 10 Square coated wire mesh

PLAMET 20

SHAPES AND COLOURS AVAILABLE See CODES LIST page IX PLAMET 10 - PLAMET 20 Prepack - Roll 0,5x5 m

Bulk rolls 1x25 m

13x13 mm - Ø 1 mm

1x5 m

19x19 mm - Ø 1,3 mm

PLAMET 10



PLAMET 10

additional protection.





BOUNDARIES

T≣IλΔX



Wire meshes

TENAX metal fences range from protective and decorative fences for the garden, to the more traditional

wire nets for the construction of cages, hen-pens and small enclosures in courtyards. Made of iron or steel, the thread will be coated with plastic for the most decorative products, galvanized for rigid and

strong meshes, or worked in triple torsion when greater flexibility is required.

See CODES LIST page IX





QUADRAMET Square galvanized mesh









QUADRAMET 10

Welded and galvanized wire mesh, ideal for animal fences, pet runs and open-air bird cages.

QUADRAMET 20

Wider mesh, ideal for those looking to delimit storage areas for tools and small garden apparatus.

















EXAMET 10


A triple-twisted galvanized metal wire, suitable for many purposes such as DIY and agricultural use, i.e. cages for small animals.


EXAMET 25

A triple-twisted galvanized metal wire, with a larger mesh size: suitable for use as fencing or cages for breeding small animals and poultry.















SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

50 m - Ø 1 mm





PLASTIC-COATED METAL WIRE (HEAVY)

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

30 m - Ø 2 mm





GALVANIZED WIRE (LIGHT)

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

80 m - Ø 1 mm







GALVANIZED WIRE (HEAVY)

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

20 m - Ø 2 mm







QUADRAMET 10

13x13 mm - Ø 1 mm

QUADRAMET 20

19x19 mm - Ø 0,8 mm

1x5 m

13x13 mm - Ø 0,6 mm

25x25 mm - Ø 0,7 mm

SHAPES AND COLOURS AVAILABLE


See CODES LIST page X

EXAMET 10 - EXAMET 25

Prepack - Roll 0,5x10 m 1x10 m

EXAMET 20

































LINEA
PET&
GARDEN



Reinforced decorative edging, in plastic. Outlines flowering beds and helps you train your dog by preventing access to the surrounded area only.







Τ≣ΙΊΔΧ FLORET



BOUNDARIES

Decorative lawn edging

See CODES LIST page X

TENAX lawn edgings are ideal for use around flower beds and lawns, since they separate them as well as being decorating them. They are available in a variety of materials and sizes to suit most uses and are quick and easy to install.

GOTICDECÒ Gothic arched edging









Heavy-duty iron edging panel, finished with pointed arches. To create longer edging, the panels can simply be placed one next to the other.





SHAPES AND COLOURS AVAILABLE See CODES LIST page X

Prepack

0,38x0,6 m

ARCODECÒ Round arched edging












Pre-linked and plastic-coated steel edging, Arcodecò is a best seller. It is made up of six interlocking modules that can be adapted to angled paths or flowerbeds.





ONDAMET Ornamental fence with arched finishing











SHAPES AND COLOURS AVAILABLE See CODES LIST page XI

Prepack - Roll

0,4x10 m 0,65x10 m

0,9x10 m



ONDADECÒ Flexible lawn edging









Made from corrugated plastic and available in three sizes, this lawn edging is UV stabilized, cost effective and flexible. Ideally suited to curved borders, flowerbeds and lawns.



SHAPES AND COLOURS AVAILABLE See CODES LIST page XI

Prepack - Roll

0,09x10 m 0,165x10 m 0,25x10 m







Prepack

0,46x2,5 m

SHAPES AND COLOURS AVAILABLE See CODES LIST page X

(6 modules of about 42 cm width












NEW 2015
















TEXStyle PRIVÉ Prepack - Roll

1x5 m 1,5x5 m

TEXStyle VIP Prepack - Roll 1x5 m

TEXStyle PLUS Prepack - Roll

1x5 m

This fashionable screen, 70% PVC and 30% PET, can be used to protect gardens and terraces, giving them a modern, refined and elegant touch. Available in a range of thread size and density, the screen can be easily attached to fences using the purposely added eyelets.

✓ A brand new product, beautiful to look at

TEXStyle

The fashionable privacy screen

- √ 3 different products in different colours and grades of screening cover
- ✓ Original and elegant warp and wefts, trend colours and combinations
- ✓ Run-resistant, extremely tear-resistant, as well as being resistant to wind, sunlight and UV rays



ELASTIC TIE SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

Elastic tie - 10 pz

Elastic tie is an easy-to-use elastic fence tie which is very resistant and easy on the eye. Its black colour allows it to blend in perfectly with the range of colours in which TEXSTYLE is available.

Instructions: Put the tie through the eye hole. If necessary, wrap the tie around the fixed ball at the end as many times as is required.







SCREENING

Woven nets

See CODES LIST page XI

The polyethylene mesh is widely used in gardens or terraces installed vertically such as screening or shielding against wind, or in courtyards and vegetable plots, hung horizontally to protect outdoor areas and vehicles against sunlight. The new and most trendy colours and highly decorative content such as the new TEXSTYLE textilene screen, permits stylish decoration even in the most modern buildings.















Total screening is provided here by uniting a rigid supporting mesh and a nonwoven fabric which provides plenty of cover. Decorative and efficient, it should be used on supporting structures in which the fabric comes into contact with the fencing found underneath







SHAPES AND COLOURS AVAILABLE See CODES LIST page XII

Prepack - Roll 1x3 m

1.5x5 m

Bulk rolls

1,5x25 m


1x25 m



Total screening to apply on a support structure (the TNT should be installed in contact with the fence). Avoids stressing and agitating your dog due to traffic, limiting its exposure to stimuli.







COIMBRA The elegant fabric net











A flat-weaved monothread mesh made using our exclusive manufacturing process. It is particularly compact, even, and easy on the eye. It guarantees a material which is rip and colour-resistant, which Dark NEW COLOUR 2015 provides total screening. It can be easily fixed onto fencing and gates thanks to eyelets along its edges.

















A new version of the Soleado net, very robust and providing excellent cover, with a modern and attractive colour, ideal for protecting gardens and terraces from sight, as well as decorating them at the same time.





1.5x5 m 2x10 m

Bulk rolls 1x50 m

1,5x50 m 2x50 m





















Produced with first choice and uniform weave, it does not twist and is perfectly flat. It is treated to resist UV rays and keeps its colour over time. It is mainly used as a screen on fences but is also indicated for horizontal use for shading.





SOLEADO PRO

SOLEADO PRO is a very robust and highly screening woven net. It has edges which allow it to be fit onto fences, therefore avoiding tearing. This is a high quality product, suitable also for use as horizontal shading, to protect crops or open-air playing areas.





See CODES LIST page XIII

SOLEADO Prepack - Roll

1x15 m

1,5x15 m 2x5 m

2x15 m

4x3 m

1x50 m; 1x100 m; 1,2x100 m; 1,5x50 m; 1,5x100 m; 1,8x100 m; 2x50 m; 2x100 m; 3x100 m; 4x50 m; 4x100 m; 6x100 m; 8x50 m



Bulk rolls

1x100 m; 1,5x100 m; 2x100 m; 3x100 m; 4x100 m; 6x100 m





SOLEADO HG

The new SOLEADO is a traditional thick and run-resistant net, which is ideal both for screening and shading. This product is now available at an even more competitive price.



















Woven net with two alternatively coloured horizontal stripes (11 cm), ideal for use in seaside areas as a shade net, or around swimming pools and on campsites.





SHAPES AND COLOURS AVAILABLE

See CODES LIST page XIV

Prepack - Roll 1x5 m

1.5x10 m

Bulk rolls

1x100 m

1,5x100 m

2x100 m















Thanks to a peculiar "flat" weaving, this net has a sheen similar to that of a piece of fabric. Shiny and very strong, it is normally used in residential areas as a privacy screen and for decoration purposes









SUNSHINE KIT Practical and functional










A kit made up of a shading fabric net, very thick and resistant, with reinforced edges and with metal rings in every corner. It is extremely versatile and creates decorative shaded areas in gardens and terraces. It can be installed quickly thanks to its fastening ropes which help to give the cloth the inclination desired by the user. For temporary usage, it can be removed at the end of the season to be washed and stored away for the following year.







(3x3x3 m) includes 3 1.5-metre ropes



SHAPES AND COLOURS AVAILABLE See CODES LIST page XIV

Prepack - Bag




3x3x3 m











SHAPES AND COLOURS AVAILABLE
See CODES LIST page XIV

Prepack - Bag

1x3 m

2x3 m 2x5 m 2x10 m 4x3 m

JAMAICA









Versatile and convenient

A fabric mesh with flat threads, good resistance, long lasting and run-proof. It is used to shield privacy and, horizontally, protects against the sun. This product has an excellent quality-price ratio.





TENAX JAMAICA

JAMAICA can also be used on tunnels to protect plants from the rays of the sun.













Fabric mesh in aluminium coloured polyethylene to reduce sun radiation and heat, however letting light filter through. Ideal for car parks, porches and patios; it can also be used on crops to protect them from the rays of the sun.



SHAPES AND COLOURS AVAILABLE See CODES LIST page XV

2x5 m

Bulk rolls 2x50 m














Installation and accessories

VERTICAL INSTALLATIONS









TENAX WOVEN NETS are ideal to screen gardens and private areas from view


They can be easily fastened to fences thanks to TENAX CLIPS available in green or black to easily match the various screens.



For WOVEN NETS with eyelets (TENAX COIMBRA) vou are advised to use the plastic TIES, available in various colours and measurements





On wooden fences, the screening meshes are fixed using TENAX STAPLES accessories.



To install TENAX TEXSTYLE, you are advised to use the ELASTIC TIE accessory. Put the tie through the eye hole. If necessary, wrap the tie around the fixed ball at the end as many times

HORIZONTAL INSTALLATIONS







TENAX screening meshes can be installed horizontally to create pleasant and permanent shaded areas for outdoors, or temporary areas for campsites.

40 T≣ΠΔX

ACCESSORIES







: CLIPS 35

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVI

Clips 3,5 cm - 24 pz

CLIPS 50 SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVI

> Clips 5 cm - 12 pz Clips 5 cm - 12 pz

CLIPS 100

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVI

Clips 8 cm





SHAPES AND COLOURS AVAILABLE
See CODES LIST page XXXVII

Plastic ties 10 cm - 50 pz

Plastic ties 20 cm - 50 pz

PROMOBOX







Plastic Ties 29 cm - 50 pz

NEW 2015





SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

Staples - 100 pz

T=ITAX /

Plastic supporting structure Modular system Practical and versatile Easy install everywhere












Vertical greenery is becoming an important decorative element capable of creating suggestive walls and transforming any environment into an oasis of wellbeing and relaxation. In this context, the new TENAX DIW PUZZLE hedge, in modules to compose as you wish for maximum flexibility, is highly decorative and a likeness that creates an amazing effect. Available with 5 leaf types, it is ideal to decorate walls, enhance areas or as a simple design element indoors. It is however also perfect to conceal objects, parts of terraces or walls, creating sophisticated and captivating scenery with a huge aesthetic impact.

- ✓ Incredible likeness and maximum composition flexibility
- ✓ Wide range of leaves (undergrowth, ivy, red maple, cypress, boxwood)
- ✓ Ideal for outdoors and indoors, small or large areas
- ✓ No maintenance required. They can be washed with water
- √ Long lasting and easy to install















SCREENING

Synthetic hedges See CODES LIST page XV

TENAX synthetic hedges have multiple uses: an original screen for balconies; to renovate an old gate or to temporarily cover a fence while flowers or plants are growing. They perfectly imitate the natural product and are light and versatile: they are ideal to quickly and inexpensively decorate any corner where real greenery isn't possible due to lack of soil or water. The modular TENAX DIVY PUZZLE synthetic hedges are the perfect decorative element for design indoors and outdoors.

SHAPES AND COLOURS AVAILABLE See CODES LIST page XV

Prepack - Bag **DIVY SALTUS**

DIVY CYPRUS (Cypress

DIVY BUXUS (Box

1x1 m (1pz)

DIVY ACER 0,5x0,5 m (4pz)

DIVY CYPRUS - DIVY BUXUS - DIVY HELIX 0,5x0,5 m (4pz)



SCREENING DECORATIVE



SHAPES AND COLOURS AVAILABLE
See CODES LIST page XV

Prepack (Bag) - Roll

1,5x3 m

DIVY HEDERA Decorative and resistant





A new screening net made of synthetic ivy leaves supported by a square plastic mesh back. It creates a natural effect even in the most unfavourable weather conditions.





Support structure extendable

See CODES LIST page XVI

DIVY X-TENS HEDERA The ready-made decoration

An extendable framework covered in synthetic ivy. When combined with a support structure, it is perfect as a shading net for deposits, utility rooms, back /side entrances or as a divider on balconies or in




















Plastic supporting structure + shading

SHAPES AND COLOURS AVAILABLE See CODES LIST page XVI

Prepack (Bag) - Roll

1,5x3 m

DIVY LAURUS NET



To guarantee greater privacy, the laurel synthetic hedge and leaves are coupled to a fabric mesh that covers and guarantees a decorative effect to protect against indiscrete eyes.





DIVY LAURUS Natural effect














SHAPES AND COLOURS AVAILABLE See CODES LIST page XVI

Prepack (Bag) - Roll

1x3 m 1,5x3 m

Bulk rolls

1.5x20 m









44 T≣NAX

Prepack







DIVY EXTRA Total privacy







DIVY EXTRA offers a high screening effect, due to the close-knit fine fringes in two different shades of green. Supported by a diagonal steel wire structure that doubles the density of the hedge as well as its screening power.







DIVY OPTIMA









Used to screen gardens and courtyards, DIVY OPTIMA is an artificial hedge with thin fringes in two colours, sewn onto a wire base. Easy to install and washable.

















Innovative synthetic screen with moving leaves. Covering and high strength, it filters wind thanks to the leaves that open and close. Ideal for balcony railings and fences.







Prepack - Roll

1x5 m

Bulk rolls 1x30 m


SYNTHETIC HEDGES

Installation and accessories



Easily cut to size

All TENAX synthetic hedges are easily cut and shaped to the desired measurement.



Hedge fastening

The synthetic hedges are easily fastened thanks to specific TENAX PLASTIC TIES.














Synthetic reeds See CODES LIST page XVII

TENAX synthetic reeds provide an excellent alternative to natural screening, as natural bamboo has a tendency to rot and attract irritating insects. Tenax synthetic reeds are resistant to wind and weather elements and will last for years. Reeds are tied and glued individually with nylon thread, to avoid unravelling when cut.









* AVAILABLE FROM APRIL











Cane composed of light synthetic reeds, similar to bamboo or willow. Beautiful from both sides as it is two-sided, this inexpensive reed doesn't lose any of its visual appeal. Also available in green and in the new trendy dark grey colour. Easy to cut because each reed is tied and glued individually.

- ✓ Natural looking synthetic reeds
- ✓ Easy to cut because each reed is tied and glued individually
- ✓ Resistant to atmospheric agents and UV rays
- √ Mould free
- ✓ Does not host insects
- √ No maintenance required
- √ Resists the sun and wind









CANE LENGTH: 20 mm SCREENING: 100%

NILO PLUS High quality full cane reed








Used for total screening, Nilo Plus is a high quality synthetic reed screen, made out of 20 mm canes. Individually bound and glued with nylon thread, they will not unravel if cut to size.





SHAPES AND COLOURS AVAILABLE See CODES LIST page XVII

Prepack - Roll

NILO High quality half cane reed







High quality synthetic screening with 20 mm half canes. Canes are individually bound and glued with nylon thread, so that they will not unravel if the screening is cut to size.







MISSISSIPPI The privacy screen at a competitive price












Innovative and inexpensive plastic screen similar to reeds or green canes. The particular vertical cut mesh allows air to pass through, filtering and mitigating the effects of the wind. Simple and quick to install, thanks to the ties included, it is an ideal protection for fences around animals and as a screen on public and private fencing.










SHAPES AND COLOURS AVAILABLE See CODES LIST page XVIII

Prepack - Roll 1x3 m

1,5x10 m

SYNTHETIC REEDS

Installation and accessories



Easy to install

Fasten the reeds (COLORADO, NILO and NILO PLUS) to the relevant support with the specific ties for TEXAX reeds.





SHAPES AND COLOURS AVAILABLE

See CODES LIST page XXXVII

15 cm - 26 pz



T≣ΠΔX



Synthetic lawns See CODES LIST page XVIII

SYNTHETIC LAWNS

LINEAMAT

TENAX synthetic lawns will always stay perfectly green and luxuriant, without requiring its owner to mow, weed or water. A variety of types, are available suitable for indoor or outdoor use, from decorating the edges of swimming pools, sprucing up or restoring a terrace or porch, to provide a solution for difficult areas of the garden to maintain. All made of plastic blades which are stitched onto a draining support, they are washable with water, do not need particular maintenance, and can be installed following simple instructions. They do not attract insects or mosquitos or provoke any allergies.

SYNTHETIC LAWNS

The reasons for choosing them



Leisure time spent mowing, weeding and watering the lawn is a thing of the past: TENAX synthetic lawns require no maintenance, they do not attract insects and mosquitoes and do not cause allergies. They always look well groomed and welcoming, an even colour with no weeds.



HARD-WEARING WHATEVER THE SEASON

Beautiful in every season, they keep their appearance for many years thanks to the top quality materials used and the UV resistant treatment. Simply use a yard brush, rake or blower to remove dust and dirt. Use water and neutral detergent to clean them.



Easy to lay on paving and tiles: it is recommended to request assistance from experts when laying the turf on grass lawns and uneven surfaces. Use the TENAX accessory kit to achieve absolutely perfect laying results.



NO MORE WASTED WATER

They reduce water consumption: if a grass lawn requires an average of 4 litres/m³/day, synthetic lawns just require a sprinkle to freshen them in really hot weather, generating remarkable savings on utility bills. Their water drainage system is also much better than on grass lawns.

A Daylor Callander

IMPROVEMENT WITH SAND INFILLS

Sand has a positive effect on synthetic lawns: the tufts remain upright, the appearance improves, the turf lasts longer, it retains humidity better and is resistant to overheating. But use of sand is not mandatory.

THE ANSWERS TO ALL YOUR QUERIES



IF A CIGARETTE OR HOT CINDERS FALL ON IT, IT DOES NOT CATCH FIRE

It is however recommended to avoid contact with incandescent materials: they can damage the yarn filaments.



WHEN IT RAINS THEY DO NOT ROT



IF PETS DIRTY THE TURF,

THEY ARE EXTREMELY SIMPLE TO CLEAN

Cats and dogs love synthetic lawns: simply wash them with water and neutral detergent when soiled by pets.



IF THEY GET HOT IN THE SUN, SIMPLY REFRESH THEM



IF WEEDS APPEAR,

THEY KNOW HOW TO


Accurate preparation of the base before laying the turf will ensure this problem does not arise. If they do happen to appear, simply remove them by hand.





TO SUIT ALL TASTES AND USER REQUIREMENTS.

From maximum quality to best price.













The double-weave yarns are stitched to a draining backing with straight filament tufts in a variety of shades of green and curly filament tufts in brown. It is the ideal lawn for swimming pool decking and all environments at home and in the garden, also as a trendy and stylish design element















With its straight, long and wonderfully soft tufts in two shades of green and stitched to a drainage backing, this heavy-duty lawn is the perfect solution for highly-frequented areas and leisure areas outdoors. It requires sand infilling.























Its exclusive double-weave PE filaments make this lawn particularly soft and comes stitched to a drainage backing. The tufts are a mix of various shades of green and brown to make them look as realistic as possible. It is ideal for use on terraces, gardens and children's play areas.





Also available on promobox!

SHAPES AND COLOURS AVAILABLE See CODES LIST page XIX

Prepack - Roll

1x4 m*

2x4 m

IRISH MAT 40 Just like freshly grown grass







TRENDY & FASHION DRAINING

Its long straight filaments in a variety of shades of green combined with the brown tufts, give this lawn a brilliant spring grass look. It is tall and compact and ideal for all areas of the home and garden.





#Also available on

SHAPES AND COLOURS AVAILABLE

Prepack - Roll

1x4 m* 2x4 m

Bulk rolls

2x10 m

2x25 m

See CODES LIST page XIX

SPECIAL MAT







Versatile and convenient

The very fine synthetic fibres are the distinctive element of this lawn which comes in several shades of green. It is ideal for use for grass verges and even large areas of the garden that are difficult to cultivate.



STANDARD GREEN









With its mat made up of "short cut" synthetic fibres, Standard Green is generally used to decorate entrances, outdoor flooring and balconies.





SHAPES AND COLOURS AVAILABLE See CODES LIST page XIX

Prepack - Roll 1x4 m*

Bulk rolls 1x25 m

2x25 m









Also available on promobox!

SHAPES AND COLOURS AVAILABLE

See CODES LIST page XIX

Prepack - Roll

2x4 m

Bulk rolls

2x10 m


2x25 m

Synthetic lawns

TS1 Filtering fabric for synthetic lawns

FILTERING DRAINING WEIGHT 140 g/m

140 g/m² non-woven, polypropylene fabric to promote drainage and water flow under the turf. High tensile strength and tear resistance, it maintains its drainage capacity in the long term. Excellent also in the construction of avenues as it separates the gravel from the ground beneath.



SHAPES AND COLOURS AVAILABLE See CODES LIST page XX

Prepack - Roll 2x5 m

Bulk rolls 2x50 m

NEW DISPLAYS for TENAX lawns





for 1 m lawn rolls.

TGM LAWNS CUT TO SIZE

PRATI SINTETICI

See MERCHANDISING chapter page 120

Widened and with reinforced bars for cutting to measurement of 1 and 2 metre wide rolls.

ACCESSORIES



Connecting tape which allows the user to connect several rolls of synthetic lawns using an adhesive substance.

0

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIX

0.23x20 m



An adhesive butyl-based connecting tape with a non-woven fabric support used to connect the cloth bases of the lawn. Thickness 1.5mm.

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIX

0,15x10 m



A bi-adhesive butyl-based connecting tape, strengthened by a polyester net, guaranteeing maximum efficiency and practicality. Thickness 2mm.

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

0,05x10 m



GREEN COVER

A root barrier cloth which prevents possible infestations from developing below the surface of the lawn.

SHAPES AND COLOURS AVAILABLE

the complete range can be seen on page 75 of this catalogue

FLAT-HEAD NAILS

Made of iron, they allow the user to easily fix the cloth to the ground.

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

h. 18 cm - Ø 6 mm






PREPARATION OF THE SUBSTRATE Preparation for laying on soil



 Remove all existing vegetation using selective weed killers and hoe the soil to remove roots and earth clods.



2. Use a lawn roller to obtain a level and compact support surface




3. Unroll a permeable weed protection sheet (TENAX FULL COVER) that acts as a separation layer. Overlap them by about 5 cm and anchor the sheet to the ground where necessary.



4. In particular situations. where it is necessary to achieve perfect drainage of water. cover the weed protection sheet with a layer of gravel or other drainage element. (TENAX DR1 or TENAX





1. Unroll the synthetic lawn and lav it so that the whole surface is covered; try to limit the amount of cutting and seaming

3. To splice two rolls, lay the

sheets making sure that the

same direction and perfectly

aligned. Turn up both edges

and apply some TENAX MAT

SEAL adhesive tape (or a strip

of MAT STRIPE non-woven

of polyurethane adhesive). Now flatten out the edges.

MAINTENANCESynthetic lawns

fabric combined with a layer

filaments are facing in the



2. Laying on paving Use TENAX MAT DUO* type doublesided adhesive tape to obtain edge anchoring. *This procedure is only applicable when strictly necessary (highly-frequented areas, windy areas). This solution could leave marks or residue on the paving when the turf is removed at a later date. Laving on soil Proceed with the edge anchoring using flat head nails every 50 cm.




4. Wait 24 hours until dry and then, where necessary, apply a sand infill (check the product technical sheet) using a stiff bristle yard brush to push the sand deep into the base.







1. Clean the surface to be covered.




* The choice of drainage composite must be made while taking into consideration the slope of the terrace, the type of grass and exposure to atmospheric agents.





Use a stiff bristle yard brush or a blower, at due distance from the filament tufts, to remove leaves and other residue. Use water and non-abrasive neutral detergents to wash synthetic lawns. To keep the turf looking lush and the filaments in good condition, it is important to maintain the sand infill over time. Check the level of sand every six months and top up as necessary.







EXTERNAL PAVING



Lawn reinforcement

See CODES LIST page XX

To support and protect the turf in case of frequent trampling or access to vehicles and garden machinery, TENAX offers two options which insure optimal results for everyone. Due to their strong structure, they have proven to be exceptionally durable and effective, despite their low weight and limited thickness.

NEW 2015

The lawn saving mesh











HPDE rhomboid, three-dimensional mesh ensures efficient anchorage to the roots, guaranteeing high resistance to lawn tearing. Ideal to protect lawns from moving cars and digging dogs.

- \checkmark Can be used on lawns which are already green
- ✓ Protects turf
- √ Reduces the formation of furrows
- √ Easy to lay, even on large surface areas
- √ Great visual impact
- √ Light and economic





SHAPES AVAILABLE See CODES LIST page XXXV

h. 22 cm

SHAPES AND COLOURS AVAILABLE See CODES LIST page XX


Bulk rolls 2x30 m





Plastic rhomboid shaped mesh, protects the lawn by stopping dogs digging holes and doesn't hurt your dog's nails. It is easily laid using TENAX U staples.





















This grid has proven to be one of the most robust and reliable solutions for protecting grassed areas from pedestrian and vehicle damage. Thanks to a unique method of extrusion, it features a slip resistant surface. Being thick but relatively flexible, it is quick and easy to install and will reinforce and protect the ground from rutting.

- ✓ Protects the lawn and increases vehicle grip
- √ Reduces drill formation
- ✓ Optimum aesthetic impact
- √ Fast laying, even over large surfaces
- ✓ Re-usable



SHAPES AND COLOURS AVAILABLE See CODES LIST page XX

Roll






Installation

OVER EXISTING TURF

Cut the lawn short and roll out GP FLEX. Fix the mesh to the ground by using "U" rivets.

NO EXISTING TURF

Overturn the soil and clear it of impurities, then compress it to strengthen. Roll GP FLEX out on the ground and fix the mesh to the ground by using "U" staples. Sow seeds and cover with at least 2 cm of cultivation soil. Water the soil frequently and



Heavy and rigid modular grids made from HDPE, 40 mm thick, they can be easily interlocked to construct outdoor flooring and pathways. Non-toxic, draining and resistant to compression, they become invisible as soon as grass grows.

- ✓ Modular panels, with groove and tongue joints, for quicker installation
- ✓ Soil hooks, to guarantee stability even on slopes
- ✓ UV stabilized and chemical resistant for long lasting results
- ✓ Panels can be put one on top of the other, for easy handling and stocking even in outdoor environments.





SHAPES AND COLOURS AVAILABLE See CODES LIST page XX

Panel

0,5x0,5 m

Installation

- Lay a non-woven fabric on the compacted soil.
- -Place a further layer of mixed sand and soil, then compact it all together.
- Put PRATOBLOCK in place, linking the modular grids together.
- Fill the grid meshes with soil and irrigate abundantly.
- Finally sow the lawn and spread fertilizer on it.




















A light (17g/m²), permeable non-woven piece of fabric suitable for covering crops to protect them from changes in temperature, to promote germination and bring harvest time closer.





Installation - Ortoclima

USE TENAX ORIGINAL ACCESSORIES



U STAPLES

Easy to install

Lay the cover directly on the crops and fasten it to the edges on the ground using the TENAX U STAPLES. The ORTOCLIMA cover is also perfect to protect crops from birds and snails.



SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

h. 15 cm



VEGETABLE GARDEN AND PLANTS CARE - SPRING / SUMMER

Early growth See CODES LIST page XXI

When spring comes around, it's important to pay a great deal of attention to your plants: the first seeds and fruits should be protected from the sudden changes in climate, as well as from wind and frost. TENAX's range of plastic films and fleeces not only guarantees crop protection, but also supports and fosters crop development, creating a microclimate which encourages growth and bring harvesting ever closer.

EARLY TUNNEL

Mini-greenhouse for first fruits






THICKNESS: 120 µ

Immediately ready for use, this transparent polyethylene tunnel has metal support arches to fix it down. It is ideal for first fruits and protects vegetables from changes in temperature, creating a microclimate which is ideal for their development. It speeds up the ripening process and increases plant yields. Foldable and easy to move, it can be reused over many seasons.











Prepack - Bag

0,6 x 0,45 x 3 m













THICKNESS: 50 µ

Clear, permeable and protective plastic film, 50 microns thick. All-purpose film for creating a tunnel to protect plants from cold and accelerate their growth.



SHAPES AND COLOURS AVAILABLE See CODES LIST page XXI

Prepack - Bag

2x5 m 2x10 m

Bulk rolls

2x100 m













THICKNESS: 40 µ

A transparent plastic film permeable to air and water. It can be installed on greenhouse arches or laid directly onto vegetable patches; it speeds up growth and protect plants from natural dangers such as cold, hail, insects and birds





Prepack - Bag 2x5 m









SUN FILM Speeds up harvesting









Our waterproof yellow film is now available with an increased thickness (70 microns). It softens the effects of changes in temperature as well as allowing solar energy to access the crops, accelerating its growth and increasing its yield. It is highly resistant and suitable for use on all types of vegetables.








Τ≣ΠΔΧ

SHAPES AND COLOURS AVAILABLE

See CODES LIST page XXII

Prepack - Bag

EARLY GROWTH Installation and accessories



To create a support structure for the tunnel, positioning the hoops on the ground; lay the TENAX protective film on the structure and fasten it to the HOOP with TENAX CLIPS. Fasten the film to the ground with the



SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

tubes \oslash 9,5 mm - 12 pz

U STAPLES

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

h. 15 cm - 20 pz



TUNNEL

HOOPS SET

h. 850 mm - 6+3 pz

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

YELLOW PEGS


h. 210 mm - 8 pz

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIX

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

h. 15 (17) cm









Prepack - Bag Ø 0,6x10 m Semi-circumference 1 m











Yellow, tube-shaped film which can be slipped over tomatoes plants in order to foster and accelerate growth. Its yellow hue attracts the sun's rays and concentrates them on smaller fruits which then ripen more quickly and more healthily. The film has been perforated to allow enough air to enter.

- ✓ Increases plant yield and accelerates harvesting
- ✓ Protects from sudden changes in temperature
- √ Shelters from heavy rain and hail
- √ Shields from bird attacks

To correctly install the product, we suggest:

- ✓ The product be used from April to September
- ✓ Cutting the tube to 140 cm (approx.) in height
- ✓ Sliding the tube over already developed tomato plants
- ✓ Closing the tube on the top half only, using the fastening ropes
- ✓ Removing the protection once the plant has stopped producing fruit















Protects and intensifies production

WHAT IS IT?

In nature, a tree produces leaves that fall in autumn and deposit at the base of the trunk. This simple process reduces cultivation intervention by man, protects the plant, hinders weed growth, keeps the soil humid at a constant temperature and prevents the beating action of the rain compacting it. MULCHING is a farming technique used on crops and in gardens to copy this process, by covering the ground at the base of the plants with organic and inorganic matter.

WHAT MATERIALS?

The following can be used: organic matter (leaves, bark, turf, etc.) or natural inorganic matter (lapillus, gravel) or synthetic material (covers, film or non-woven fabrics in PE, PP or PET). The organic matter has the disadvantage of decaying over time, while the natural, inorganic matter is difficult to lay and remove. Instead, synthetic covers, fabrics and films are light, easy to manage, very practical to install or remove and inexpensive.

WHAT'S IT FOR?

VEGETABLE GARDEN AND PLANTS CARE - SPRING / SUMMER



ΤΞΙΊΔΧ

Weed control

See CODES LIST page XXII

Mulching is an agricultural practice, also used today on gardens and crops, to mechanically prevent weed growth, without using chemical herbicides. TENAX proposes a range of films, covers and non-woven fabrics which, laid around the crops, maintain the humidity of the ground but stop light filtering, thereby depriving the weed seeds of the chance to develop. For non-woven fabric, coverage with bark or gravel is necessary to avoid their decay due to sun exposure.

COVERS AND FILM, IDEAL GARDEN MULCHING



OR GARDEN

Ideal products for gardens, flowerbeds and avenue mulching.



Specifically designed for vegetables garden, they are practical on crops, strawberries and compact vegetables.











SHAPES AND COLOURS AVAILABLE
See CODES LIST page XXII

Prepack - Roll

Prepack - Bag

1x10 m

1,6x5 m

Bulk rolls

0,52x100 m

1,05x100 m 1,65x100 m 2,07x100 m

2,10x100 m 3,30x100 m 4,20x100 m

5,25×100 m

1,25x10 m 2x5 m **NEW 2015**

GREEN COVER Professional cover





A very dense woven fabric, it arrests weed development and preserves the quality and cleanness of crops, reducing the need for maintenance at the same time. Its particularly resistant structure makes it ideal on small slopes, where it helps to stop the soil from being washed away.



The product deteriorates if in contact with pesticides or weed killers with a high sulphur concentration (80%)

NEW COLOUR 2015

GREEN COVER is now also in WHITE

WITH A REFLECTIVE FUNCTION. SPECIFICALLY FOR ORCHARDS AND OVERGROUND PLANTS





Laid on the ground among the orchard rows, it reflects sunlight and forces ripening of the fruit growing on the lower branches of the plant. Usually shaded by the higher foliage, the fruit on the lower branches colour and ripen in a natural and more homogenous way, thanks to the WHITE GREEN COVER. Harvesting is therefore early with time optimisation because the top and bottom of the plant can be harvested simultaneously, with visibly more satisfactory results.

√ THE FRUIT ON THE LOWER BRANCHES
HOMOGENEOUSLY RIPENS

T≣ΠΔΧ

- √ FRUIT HARVESTING IS EARLY AND OPTIMISED
- √ THE COVER IS RESISTANT AND TREADABLE
- ✓ LASTS OVER TIME. IT CAN BE RE-USED
- ✓ PRACTICAL AND EASY TO LAY, IT CAN BE MOVED QUICKLY AMONG THE ROWS











Non-woven fabric permeable to water, air and fertilisers. This product will prevent weeds from growing and eliminate the need to use herbicides. Ideal in the garden for flowerbeds, it can also be used as a soil stabilizer for creating new pathways. Always remember to cover the product with gravel or bark, to avoid sun damage.





Prepack - Bag

0,9x5 m 1,8x3 m


Bulk rolls

0,9x50 m 1,8x50 m



Installation and accessories - mulch cover

USE TENAX ORIGINAL ACCESSORIES



Installing mulch covers

Rest the cover on the ground, which was cleaned in advanced of weeds, and fasten it with the specific FASTENING NAILS. Cut the points for young plant positioning. Cover as you wish with bark or gravel (compulsory if the FULL COVER is used).

ACCESSUR

BLACK PEGS

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVI

Black pegs h. 11 cm - 20pz Black pegs h. 19 cm

















Rest the film on the ground, which was

plant positioning.

cleaned in advance of weeds. Fasten it with TENAX U STAPLES and cut the points for young





This PE black film will keep the soil warm and humid and deprive weeds of air, light and water, arresting their growth. Practical and convenient, it creates the best development conditions for strawberries and vegetables, avoiding contact with the soil, thus keeping them clean.





1,4x10 m

2x10 m

Bulk rolls 1.5x100 m











A permeable black polyethylene sheet, DOT COVER is micro-perforated to allow limited aeration and






Prepack - Bag 1,5x5 m



Installation and accessories - mulch films Installing mulch films



STRAWBERRIES AND TOMATOES

the secret of pH and humidity for an excellent harvest

WHAT IS pH?



THE IDEAL GROUND FOR STRAWBERRIES

To grow strawberries, the ground must be sub-acid and rich in organic substances. It needs moderate but constant quantities of water during the entire cultivation cycle. To increase production, eliminate any adverse conditions and facilitate harvesting using an impermeable mulch.

OPTIMAL pH*: 5.0-7.5 OPTIMAL HUMIDITY*: 2-3



MEMORANDUM FOR PERFECT TOMATOES

Tomatoes love light, therefore choose a well-lit position and use the specific film (such as TENAX SUN FILM and TENAX Mr TOMATO). These plants are climbers, therefore they require supports and specific accessories. They need moderate but constant quantities of water during their entire cycle.

OPTIMAL pH*: 6,5-7,5 **OPTIMAL HUMIDITY*: 4**



TESTER FOR GROUND

SHAPES AND COLOURS AVAILABLE See CODES LIST page XL

Mini pH tester Mini moisture tester * Reference based on the original TENAX testers.

They include a values table for the most grown vegetables.



ACCESSORY

Measures humidity in the air

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

Hygrometer





FOR ALL YOUR NEEDS, THE RIGHT SUPPORT



DEAL FOR VEGETABLES

Meshes and supports promoting vegetable VEGETABLES development and growth.











DEAL FOR GARDENS

potted plant growth.

WALL DECORATIONS

with terrace or wall climbers.

Complete line of tutors for garden plant growth, to decorate and support.

DEAL FOR POTTED PLANTS Mini trellis tutors and supports to sustain

Plastic mesh and trellises ideal for decoration













STICK UP















FLORA has been designed to provide vertical support for climbing plants such as tomatoes, peas, beans, cucumbers etc. This resistant yet lightweight net provides a cost effective growing system when stretched between wooden posts in the garden. It is available in green and in pre-packs







Prepack - Box 1,5x10 m; 1,7x10 m; 2x5 m;



2x10 m*; 2x20 m

Prepack - Film 1,02x100 m; 1,19x100 m; 1,36x100 m; 1,53x50 m; 1,53 x100 m; 1,7x50 m; 1,70x100 m; 2,04x50 m; 2,04x100 m

** Mesh dimensions can vary by ±10% either way.



TEIDAX
your business is our business

Plant supports See CODES LIST page XXIV

VEGETABLE GARDEN AND PLANTS CARE - SPRING / SUMMER

TENAX has a range of expandable synthetic trellis which can easily be installed onto walls and columns, to support climbing flowers. A simple and NICE PRICEI solution to support and favour the growth of vegetable plants and flowers can be found using Flora and Hortonova nets. TENAX also offers a range of stakes, available in plastic or coated metal, to aid plant growth.









Mesh for climbers




TENAX HORTONOVA is the plastic mesh that has revolutionised the cut flower and climber vegetables cultivation system. In prime quality polypropylene, it has an exclusive extrusion and bi-stretching process that ensures its excellent strength and that it lasts over time.

It is suitable for all different cultivation techniques. It replaces metal mesh and iron trellises or perishable materials such as bamboo reeds or wood, traditionally used to create support and separate frames. Using TENAX HORTONOVA as a vertical support ensures excellent aeration, ideal exposure to sun and improves use of spaces, both for cultivation and harvesting.

- ✓ Light yet very resistant, it is easy to install and move
- ✓ Does not rust
- ✓ It improves plant exposure to air and sun
- √ UV resistant
- √ Resists bacteria, chemical agents and mould

Vertical installation FOR HORTICULTURE (measurements over 1 m)



*150x170 mm

Bulk rolls

Bulk rolls

SHAPES AND COLOURS AVAILABLE

1,02x500 m; 1,02x1000 m; 1,19x500 m; 1,19x1000 m; 1,36x500 m; 1,36x1000 m; 1,53x500 m; 1,53x1000 m; 1,70x500 m;

1,70x1000 m; 2,04x500 m; 2,04x1000 m;

0,51x1000 m; 0,68x1000 m; 0,85x1000 m;

NEW MEASURES 2015

HORIZONTAL INSTALLATION

* Mesh dimensions can vary


See CODES LIST page XXV

VERTICAL INSTALLATION



The mesh is stretched vertically, fastening it to the poles placed along the cultivated row, based on the preferred techniques. Slightly raised off the ground, it must enable the vegetable plant to develop so the vegetable can climb along the mesh, going in and out. By doing so, the plant develops upright and the weight is supported. It gives a better qualitative and quantitative yield, and fast harvesting. The perfect passage of air and light guarantees the plant and fruit develop in the best way possible. It is ideal to grow peas, beans, tomatoes, cucumbers and all climbing vegetables. The white colour allows the plant to be easily identified.

Horizontal installation FOR FLORICULTURE (measurements under 1 m)





The mesh is stretched horizontally, fastening it to poles arranged transversely on the ends and intermediate poles positioned along the sides of the plot, based on the type of cultivation. During flower growth, continue to horizontally lay HORTONOVA mesh to create layers. This allows the flower to grow straight and therefore gain added value on the sales market.

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXV

Prepack

h. 1.5 m

h. 2,1 m

h. 2,3 m



Plastic stake made from recycled polymer, hollow inside, finished in tree bark which helps plants to climb. Ideal for your orchard, they are available in different heights and diameters.



BAMBOO UP Natural looking









TOP QUALITY

A new synthetic support which looks very similar to bamboo. Hollow on the inside, it has been made with first-class materials which offer users rigidity and increased resistance and durability. It is ideal in vegetable and domestic gardens in plant and flower support.







h. 1.5 m h. 1,8 m













Plastic coated steel stake which is pointed at one end for easy insertion into the ground. Its rough surface helps plants climb.













Green plastic sticks with a narrow diameter, available in two different heights, they are ideal for supporting the growth of small potted plants and flower beds.



TRELL UP Sustaining ladder







Plastic plant support in the form of an inverted ladder, designed to be used in pots to support the initial growth of flowers and shrubs. The horizontal toothed posts easily support the plant.





















Ideal for supporting climbing flowers and plants. Lightweight yet strong and durable, thanks to its double internal reinforcement strip, it can easily be adapted to fit different spaces. Easy to install and maintain, it is available in different sizes and colours. **Store the packaged product** so it is not exposed directly to rays of sun.











SHAPES AND COLOURS AVAILABLE See CODES LIST page XXVI

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXVI

Prepack - Bag h. 0,45 m h. 0,6 m

Prepack h. 1,2 m

h. 1,8 m















PE mesh suitable to support flower growth on walls and in pots, as an inexpensive alternative to traditional trellises. It can also be used on the ground as edging.



42x42 mm









ACCESSORIES





FOAM TIES FOR PLANTS

20 cm long ties covered with soft foam to protect delicate plants as well. Suitable to tie flowers and plants to their tutors and supports. Easy to use twisting them in the desired position.

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

20 cm - 20 pz

TWIST TIE

WITH BUILT IN CUTTER

See CODES LIST page XXXIX

SHAPES AND COLOURS AVAILABLE

SYNTHETIC RAFFIA

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIX

Synthetic - 200 g

\$

30 m

100 m



THE PARTY



30 m

PRE-CUT PLANT TWIST TIE

STRETCH TIE

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

WITH BUILT IN CUTTER

MULTI-PURPOSE COATED WIRE

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIX

10 cm - 100 pz



EASY TO INSTALL

PLASTIC

30 pz

TWIST&CLIPS

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXV

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVIII

13 cm - 50 pz







NATURAL RAFFIA

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIX

Natural - 80 g



SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXVI















SHAPES AND COLOURS AVAILABLE

See CODES LIST page XXVI

Prepack - Roll 0,5x5 m

1x5 m

Bulk rolls

0,5x30 m 1x30 m

1x30 m







ROTECTION AGAINST HAILSTONES Complete range of meshes to protect









PROTECTION AGAINST BIRDS

plants and fruit.

Lightweight, elastic mesh ideal to protect fruit









Square-shaped mesh to protect plants from rodents, small animals and brush cutters.





ROTECTION AGAINST MOLES

Plastic mesh to place underground to protect plant roots.



TENAX meshes to protect against birds, moles and small rodents are harmless to these animals but allow plants to grow and fruit to develop without being damaged.

PROTECTION AGAINST HAILSTONES

The effects of hailstones are not confined to the fruit!

Hailstones can have devastating effects on crops and fruit trees, since the micro abrasions caused by the drops of ice are like small, wide open doors for bacterial or fungal diseases. As days go by, not only are the fruit and flowers beyond repair, but the plant itself is at serious risk of dying.

What can be done to protect plants?

Modern research in the agro-technical field has involved considerable investments into the most efficient protection against the "risk of hailstones". The hailstone-proof meshes are an ideal tool to solve this problem: **they prevent** the most persistent and violent hailstones from damaging shoots and fruit, enabling rigorous growth of plants and, at the same time are easy to use.

Structurally, they cannot be deformed, offer high tensile strength and resist tearing, however they also improve air and light passage, making TENAX hailstone-proof meshes an "ever-present" solution. The exceptional resistance of the TENAX hailstone-proof mesh is due to the quality of the raw material, the strength of the wire and the thickness that quarantees maximum protection, even against hail storms:

- √ they provide an efficient and active defence, capable of resisting stress caused by wind and hail
- \checkmark the passage of light and air is not obstructed
- √ they reduce the percentage of damaged product in the event of violent storms
- √ they are simple and fast to install and are long lasting.



Protection from hailstones, birds, small animals and moles See CODES LIST page XXVII

VEGETABLE GARDEN AND PLANTS CARE - SPRING / SUMMER

Thanks to the experience gained in the agricultural sector, TENAX developed a line of efficient protections, which, due to their easy use, can also be used in gardening and vegetable plots. Installed on support structures or laid directly on plants, the hail-proof and bird-proof meshes offer a practical and convenient solution to safeguard the harvest, without prejudicing development in any way. The range of TENAX protective meshes is extended with the mole-proof mesh, to protect plants down to the roots and the square-shaped, plastic mesh to protect young plants from rodents, small animals and brush cutters.








Double thread woven netting, for extra strength and longer durability, it is perfect for protecting crops from hail even on wide structures and greenhouses.







See CODES LIST page XXVII

Bulk rolls 2x50 m

2x100 m 3x100 m

4x50 m 4x100 m

8x50 m 8x100 m





SHAPES AND COLOURS AVAILABLE See CODES LIST page XXVII

Prepack - Bag

2x5 m; 4x5 m; 2x10 m; 3x10 m*; 4x10 m*; 6x10 m*

Bulk rolls

2x50 m; 2x100 m; 3x100 m; 4x50 m; 4x100 m; 6x100 m; 8x50 m; 8x100 m










One thread woven netting, light and flexible but resistant, it is ideal as hail protection netting, but it is also used for light shading and bird protection purposes.





SHAPES AND COLOURS AVAILABLE

See CODES LIST page XXVIII

Prepack - Roll 2x10 m















An extruded PP net, more rigid and convenient, to protect plants from light hail and bird attacks. If laid on the ground under trees, it is also useful for harvesting hazelnuts, olives or leaves.











Installation on a support structure

- 1. Create the support structure, positioning the hoops on the ground and reinforcing them with METAL WIRE.
- 2. Lay the TENAX mesh on the support structure.
- 3. Fasten the mesh on the hoops with the TUNNEL CLIP and to the METAL WIRE with TENAX CLIPS.









Extruded square mesh which can be applied directly over plants or seed beds. It protects vegetables, fruits and seeds from birds, without endangering them. Lightweight but resistant, it is easy to install and long lasting.



Prepack - Net 2x5 m; 2x10 m; 4x5 m; 4x10 m; 5x8 m; 4x25 m Bulk rolls 2x500 m; 4x250 m; 4,8x200 m

Prepack - Box

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXVIII

2x5 m*; 2x10 m; 4x5 m; 4x10 m; 5x8 m











This extruded diamond mesh is used to prevent birds from pecking at seeds and fruit. The flexible structure makes it ideal for stretching over trees with irregular shapes.





Prepack - Net

4 x 6 m 4 x 12 m

Bulk rolls

2 x 500 m*

4 x 250 m*

* net dimension, perfectly open. The net not unfolded rolls up getting the shape





PROTECTION AGAINST BIRDS


nstallation and accessories

CLASSIC INSTALLATIONS



Direct use

Lay the mesh directly on the plants or the fruit trees. If necessary, fasten the cover with the specific TENAX TWINE.



Installation on a support structure

Create a support structure, positioning the hoops on the ground. Lay the TENAX mesh on the support structure. Fasten the mesh to the hoops with the TUNNEL CLIP and to the ground using the U staples.

ALTERNATIVE INSTALLATIONS



The TENAX mesh is very light and simple to lay. It is therefore very efficient, even to protect garden ponds, from falling leaves.



BI

QUADRA 10 Protection for young plants







The classic Quadra 10 mesh in PE, measuring 0.5 m high is also indicated to protect young plants from small animals and damage from brush cutters.





SHAPES AND COLOURS AVAILABLE

See CODES LIST page II











The lightweight TENAX AVIARY mesh is easily shaped and very resistant. It is not damaged in contact with the ground and guarantees efficient protection of your crops. It is also indicated for use in horizontal protection (see page 23).





Bulk rolls

1x200 m

1,5x200 m

2x200 m

4x200 m





PROTECTION FROM MOLES

nstallation and accessories




Moles are insectivores that prefer crops and gardens whose soil is humid and soft, because they mainly feed on worms and insect larvae.


Other than this useful disinfestation action, the mole, however, causes considerable damage to the ground due to the tunnels it digs, pulling up crop and vegetable roots.

The mounds of soil on the surface, near the dug earth, also spoil lawns and make maintenance difficult.

How to stop moles digging the ground?

To prevent moles digging the ground and damaging plant roots, you are advised to place the TENAX AVIARY mesh in PP underground, around the area to protect.





Laying

- 1. Dig the ground around the area to protect, at a depth of approximately 50 cm and at a sufficient width to place the mesh
- 2. Slide the mesh inside the trench and slightly turn up the edge, folding it on the ground. The absolute flexibility and lightness of the TENAX AVIARY mesh will facilitate these operations.
- 3. Fasten the flap on the ground with the specific U STAPLES.







Some advice for the season:

Autumn is always considered a season of passage where the garden, which in the summer is the undisputed recreational space for all the family, is a bit neglected until next spring.

In this season, even though the garden cannot be enjoyed, we can take advantage of this time to take care of it, protect it and best prepare it for next spring to ensure it is more thriving and beautiful than before.

Some advice for the season:

✓ PROTECT WOOD AND GARDEN FURNITURE

If exposed to rain, cold and frost, even garden furniture in plastic and in wood, needs protecting. TENAX winter covers guarantee furniture is adequately protected and facilitate its spring cleaning and ensure it lasts over time. Wood must be dry to be used in the stove.

✓ ENSURE YOUR LAWN AND SOIL CAN BREATHE

Trees lose their leaves, which are deposited on the greenery, compromising its health and beauty. To avoid stagnant humidity and development of fungal diseases, periodically collect the leaves.

✓ PROTECT DELICATE PLANTS FROM THE COLD AND HARVEST SEASONAL FRUIT

You are advised to protect the more delicate plants using the specific covers (complete range in the COLD DEFENCE section). Furthermore, there is fruit to harvest, such as olives, hazelnuts and almonds.

VEGETABLE GARDEN AND PLANTS CARE - AUTUMN



Outdoor maintenance

See CODES LIST page XXIX

There is plenty of work in the garden before winter arrives. TENAX offers a vast range of specific products for outdoor maintenance. Winter covers guarantee outdoor furniture is adequately protected and wood is kept dry and ready for use. Bags make it easier to collect dry leaves and transport them. Lastly, autumn is also the time to harvest olives, almonds and hazelnuts for which TENAX proposes loom woven fabric meshes, which are soft and flexible and at the same time resistant, to facilitate harvesting without damaging fruit.

HOW TO KEEP YOUR GARDEN AT ITS BEST



FURNITURE AND WOOD







GARDEN WORK AND COLLECTION OF DRY LEAVES









MESH COVERS TO COLLECT OLIVES, ALMONDS AND HAZELNUTS







COVER ALL Protects wood and much more

Polypropylene, impermeable and resistant covers to protect furniture, garden equipment and piles of wood from bad weather. With eyelets to ease fastening, available in 4 different measurements.





GARDEN TWINE e CODES LIST page XXXVI



SHAPES AND COLOURS AVAILABLE See CODES LIST page XXIX


Prepack - Bag 1,5x6 m

110 g/m²

NEW 2015

2x3 m 4x5 m















Double PE FILM reinforced by a PP mesh to further strengthen it. Useful to protect floors, tables and furniture during home renovations or to protect garden benches and furniture during the





See CODES LIST page XXIX


Prepack - Bag 1,8x3 m


Bulk rolls 1,8x50 m




Installation and accessories

USE TENAX ORIGINAL ACCESSORIES







Various uses of the TENAX NET FILM

- 1. TENAX NET FILM is also ideal for small building work.
- 2. TENAX NET FILM is super-resistant and perfect for outdoor protection.
- **3.** The reinforcement net eases fastening with TENAX ties and prevents tearing.





SKIP BAG MAXI

Bags to collect leaves in maxi format

Big PVC bags to collect leaves, branches, grass and other garden residue. Equipped with resistant









SHAPES AND COLOURS AVAILABLE

See CODES LIST page XXIX

Prepack - Bag

Ø 0,65x0,75 m

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXX

Prepack - Bag Ø 0,5x0,6 m











With a spring and self-supporting structure, it is light but resistant and comes with a pair of aloves free in each pack.





SHAPES AND COLOURS AVAILABLE See CODES LIST page XXX

GARDEN BAG 100

Self-supporting and inexpensive








With a spring and self-supporting structure, it is the cheapest version of the classic Garden Bag.





OLIRETE

Mesh for olive, hazelnut and almond harvesting







OLIRETE M - 30 g/m²

High density, polyethylene monofilament reinforced fabric mesh with side and central selvages. Indicated to harvest small fruit on the ground, such as walnuts, hazelnuts and almonds.

OLIRETE Q - 60 g/m² | OLIRETE Q - 65 g/m²

High density, polyethylene monofilament fabric mesh. Run-proof with side selvages. Ideal for harvesting by hand with ladders and shakers. Also available in sheets with eyelets and central





Prepack - Bag

OLIRETE M - 30 g/m² 4x8 m - no split



8x8 m - with split

OLIRETE Q - 60 g/m²



6x8 m - with split and eyelets 10x10 m - with split and eyelets

OLIRETE Q - 65 g/m²



5x10 m - with eyelets









Prepack - Bag

Ø 0,45x0,6 m

SACCO

Easy to use, already

on page 67













60 g/m² - EXTRA HEAVY FLEECE For harsher winters and plants completely exposed to frost.



THE COLD IS ARRIVING! Correctly protects plants and flowers

Why should TENAX protective fleeces be used?

Sometimes, we cannot keep all our plants inside, but we can't leave them outside either without adequate protection because they are not suited to low temperatures.

What can we do to protect them?

PROTECT THE ROOTS: Position the pot over some insulating material (polystyrene or wood). By doing so, it will not absorb cold from the ground. You can also insert the pot in an impermeable bag and fill it with straw. Cover the ground with leaves or mulching material to avoid sudden changes in temperature.

USE A PROTECTIVE FLEECE: Protect plants with products from the TENAX CLIMA range, in non-woven fabric, ideal to insulate from the cold, allowing them to breathe. Also perfect to protect crops.

FIND A SHELTERED PLACE: Position the plants in a sheltered place, ideally a wall with southern exposure or under a porch. By doing so plants are protected from the wind.

FOR ALL YOUR NEEDS, THE RIGHT SHAPE

TENAX CLIMA always offers you the right coverage



17 g/m² -MEDIUM FLEECE Ideal for the last of the cold weather,

milder climates and the arrival of spring.





ORTO

Maximum flexibility

See chapter EARLY GROWTH



30 g/m² - HEAVY FLEECE

Ideal to protect from the cold of winter in a sheltered position.







Protection from cold

VEGETABLE GARDEN AND PLANTS CARE - WINTER

See CODES LIST page XXXI

A complete range of woven fabrics used in the autumn and winter to protect vegetables, flowers and fruit plants, avoiding the sudden first cold and frost damaging crops. Light, permeable to water and breathable, they allow light to filter through and do not hinder the regular development of the protected





WEIGHT: 60 g/m²

ORTOCLIMA EXTRA

Against the most intense cold







A piece of ultra-resistant non-woven fleece, 60g/m² in size. ORTOCLIMA EXTRA is very compact and ideal for protecting delicate plants, herbal hedges and flowers from the very coldest weather, even in areas exposed to wind and violent weather.





ORTOCLIMA PLUS









Non-woven 30 g/m² fleece, which is permeable and transpiring, it is used during the winter months to protect the most delicate plants from cold and wind, without affecting their regular





SACCOCLIMA PLUS

Frost-proof cap







A pre-cut piece of 30g/m² fleece seal at both sides to form a bag-like shape. It is slipped on top of the plant to protect it from the cold and wind. To quarantee maximum protection, we suggest you keep the plant pot in a sheltered area.





Prepack - Bag Ø 0,6x1,6 m

Semi-circonferenza 1 m

Ø 1,15x2 m Semi-circonferenza 1,8 m



SACCOCLIMA

and water.

Protective cap for moderate cold climates















Saccoclima is a pre-cut piece of 17 g/m² fleece, which can be slipped directly onto potted plants. It will protect them from cold, wind and insects, without obstructing the passage of light, air



WEIGHT: 17 g/m²

Prepack - Bag Ø 0,6x1,6 m

Semi-circumference 1 m

Ø 1x2 m Semi-circumference 1,6 m






WEIGHT: 30 g/m²



PROTECTION FROM COLD Installation and accessories

FOR SACCOCLIMA





ACCESSORIES TENAX THERMOMETERS RANGE

MINI WALL THERMOMETER

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIX


Mini wall thermometer



Easy to install

Place the fleece on the top of the tree and close the ends using TENAX GARDEN TWINE.

FOR ORTOCLIMA



Easy to position

Lay the fleece on plants and fasten at the end using the specific U staples.




WINDOW THERMOMETER

SHAPES AND COLOURS AVAILABLE See CODES LIST page XL

Window thermometer





TUBOCLIMA PLUS

Frost-proof protective tubular fleece







A 30g/m² piece of tube-shaped fleece which can be easily fitted on small plants and shrubs: it is slipped on top the plant, and is fixed at the end of the plant to protect it from adverse weather



SHAPES AND COLOURS AVAILABLE

See CODES LIST page XXXII


Prepack - Bag Ø 0,7x5 m


Semi-circumference 1,2 m



Installation - Tuboclima

USE TENAX ORIGINAL ACCESSORIES







Easy to cut to size

- 1. Cut the tubular protection to the desired measurement.
- 2. Place on top of the plant and fasten it at the end using the TENAX GARDEN TWINE.











THICKNESS: 150 µ

Impermeable and transparent, it is used to cover furniture and any other surface during DIY work. Versatile, it has many uses, on crops or in the garden.



See CODES LIST page XXXII

Prepack - Roll

2x10 m 4x5 m

Bulk rolls

2x100 m 🛮 4x100 m 🛮

6x70 m



PAINTER PAD

Felt for protection




Absorbing pad made with regenerated cotton laminated with an impermeable gripping film. Ideal for protecting the floor while painting or moving. The cotton absorbs accidental drips and spills, whilst the impermeable film on the underside protects the floor.











DIY AND HOUSEHOLD CARE

For painting, maintenance and DIY, TENAX offers a line of fabrics and films in plastic indispensable to protect floors, furniture and objects. Ideal at home, on terraces or courtyards, they can also be used in

Home maintenance and DIY

See CODES LIST page XXXII

garages or cellars, to cover machinery and tools.











Generally used to protect fragile objects from accidental collision, it also useful in protecting plants and shrubs from the cold, by wrapping it around the trunk or around the pot to shelter the roots.







Prepack - Roll

















A very thick rhomboidal grid net which prevents gravel, leaves and twigs from blocking drains,















Tubular mesh resistant to atmospheric agents, it prevents leaves blocking gutters. It adapts to the diameters of gutters from 12 to 15 cm, it is modular and does not require maintenance for many years: good savings in terms of time, fatigue and money.

- ✓ It does not rust or rot
- ✓ It stops birds nesting in the gutters
- √ It ensures perfect flow of rain water




SHAPES AND COLOURS AVAILABLE

See CODES LIST page XXXIII

Prepack - Roll

Installation



Easy to install

The TENAX LEVEX TUBE is a tubular mesh with a practical 1 m long format. It is light and easy to manage for simple and fast DIY installation. The tube is cut in length, therefore it easily adapts to a gutter diameter from 120 to 150 mm. Twigs and leaves will be pushed out by the mesh removed with the wind, thereby ensuring perfect flow of rain water.





Bulk rolls

0,5x30 m

1x30 m

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIII

Prepack - Roll





Mosquito nets See CODES LIST page XXXIII

DIY AND HOUSEHOLD CARE

To protect against mosquitoes, flies, spiders and insects, three nets in different materials and colours: in fibreglass, ideal for house windows; in aluminium, resistant and also suitable to screen small openings at home, in courtyards or gardens; in plastic, multiuse and versatile, they combine aesthetics and

MOSQUITOES AND INSECTS

How to defend your home

To defend the walls of your home, the first and indispensable method is to install mosquito nets on your windows and French doors.

TENAX mosquito nets give considerable protection against mosquitoes, flies and insects, and thanks to the focus of the human eye beyond the net, are almost invisible. They come in fibreglass, aluminium and plastic.

The fibreglass insect screen










Lightweight, it can be cut with scissors (it does not unravel) to fit to any structure. As it is washable, it can be stored away at the end of the season. Available in different colours and sizes.



1,4x1,4 mm









Extruded plastic square mesh, it does not ladder or deform and it is easy to shape and adapt to any structure. Easy on the eye and cost-effective.





SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIV

Prepack - Roll 1x5 m

Bulk rolls 0.8x50 m 1x50 m

ZANZIBAR The aluminium insect screen







Highly resistant and rigid , it can be shaped and adapted to any structure, also for agricultural and animal breeding purposes.





Prepack - Roll 1x5 m

SHAPES AND COLOURS AVAILABLE See CODES LIST page XXXIV


Bulk rolls 0,8x30 m

1x30 m 1,2x30 m










Assembly requirements

You will need a suitably measured frame, a hammer, a TENAX mosquito net and TENAX STAPLES for fastening.





Fastening the mosquito net

Cut the mosquito net to the desired size and position it on the previously assembled frame. Proceed to fasten the mosquito net along the entire profile of the frame, using the TENAX STAPLES.












- ✓ High level of grip: ensures the highest efficiency level on the market
- √ Very competitive price
- √ Easy to cut to size
- √ Hand washable, doesn't suffer damage from detergents
- ✓ Resistant to fungus attacks
- ✓ Low allergenic levels
- ✓ Doesn't dry up
- √ Completely non-toxic

To keep the product's gripping power at its maximum, customers are advised to simply wash the product by hand (not in the washing machine) to get rid of dust. Place the rougher part in contact with the ground















Slip-proof See CODES LIST page XXXIV

The innovation and experience of TENAX extends from the garden indoors with the new slip-proof mesh, offering top performance to keep household rugs in place.



Prepack - Roll





TENAX SpA

Via dell'Industria, 3 23897 Viganò (LC) Italia Tel. 039 9219.300 Fax 039 9219.290 www.tenax.net customer.service@tenax.ne