

EURO CYLINDER LOCK KNOBHANDLE

The cylinder lock with knob and handle can be opened from the outside by using a key and the lever handle on the inside can be used as a panic escape. The lock is available in two versions, both equipped with an SFF lock case, Kit 5800 comes without a deadbolt and Kit 5810 has a deadbolt with anti-panic, meaning that the door is possible to open from the inside even when it's locked with the deadbolt. The cylinder lock is a strong metal locking tube equipped with a lock from SFF. The locking tube and the striking plate are reinforced with a welded steel cover to reduce the risk of tampering. The addition of hooks make it impossible to open the door by pulling it sideways. Choose from one of our profile cylinders, with single or double locking.







VARIANTS

| Art. Nr | Components |
|----------|-----------------------------------|
| 36905800 | Kit 5800 EC Panic Lock |
| 36905810 | Kit 5810 EC Panic Lock w.deadbolt |
| 36905820 | Kit 5820 EC Panic Lock |
| 36905830 | Kit 5830 EC panic Lock |

Euro Cylinder from Troax

Keyed Alike: All cylinders in a set can be unlocked using the same key. All locks with identical cylinder must be ordered together in one shipment and cannot be supplemented with additional keys or cylinders later on. Each cylinder is delivered with three keys.

Keyed Different: Each lock and cylinder have unique keys. Each cylinder is delivered with three keys.

ASSEMBLY INSTRUCTIONS

| * | Assembly Instruction - EC Panic Lock Hinged Door 36905800 36905810.pdf | S Interactive 3D | B <u>PDF</u> |
|---|---|------------------|--------------|
| * | Assembly Instruction - EC Panic Lock Double Hinged 36905820 36905830.pdf | Interactive 3D | B <u>PDF</u> |

DOWNLOADS

| | Name | File type 🖨 | |
|---|---|----------------|----------|
| 0 | Product sheet - EURO_CYLINDER_LOCK_KNOBHANDLE_ENG.pdf | Product sheets | JOWNLOAD |



ACCESSORIES



BRACKETS FOR SAFETY SWITCHES

COMBINE WITH




DOUBLE HINGED DOOR



SINGLE HINGED DOOR

IMAGES







4/4