FORTRESS INTERLOCKS

The Fortress amGardpro products are designed, tested and TUV approved for use in Category 4/PLe safe control systems. A completely configurable safety interlocking solution designed to meet the exact requirements of your application. Pushbutton controls, ethernet connectivity and trapped key options can all be combined together into a single unit. The robust design and high strength rating does not require additional safety components to be mounted to the gate to meet PLe. The integration of trapped keys within the unit can restrict accessor protect employees during whole body access. Fortress tGard is designed, tested and TUV approved for use in Category 3/PLd applications. Ergonomic actuator and handle options can be specified alongside escape release elements and trapped keys. Keys can be used to restrict access only to key holders or to provide a personnel safety key so that the guard cannot close behind the operator in a whole body access application. Contact with Fortress for more details around the interlocks, fortress-safety.com. To find the brackets fitting for each solution, check the Assembly instruction.

VARIANTS

Art. Nr	Components
36906390	Kit 6390
29504009	Bracket Handle No1
29504049	Bracket AmGard Pro Sl.bar
29504029	Bracket Handle No 2

Art. Nr	Components
29504000	Kit Screw AmGard Pro
29504100	Screwbag Amgard Sl.bar
29504019	Striking plate No1
29504059	Striking plate No3

ASSEMBLY INSTRUCTIONS

🔧	Assembly instruction - Kit for Fortress tGard Kit 36906390.pdf	Interactive 3D	PDF
🔧	Assembly instruction - Fortress AmGard Pro.pdf		PDF

DOWNLOADS

Name	File type ⬍	
📄 Product sheet - Fortress Interlocks_EN.pdf	Product sheets	⬇ DOWNLOAD

COMBINE WITH

PROTECTING PEOPLE, PROPERTY AND PROCESSES | troax.com

DOUBLE SLIDING DOOR

DOUBLE HINGED DOOR

SINGLE HINGED DOOR

FOLDING DOOR

TELESCOPIC DOUBLE SLIDING DOOR

TELESCOPIC SINGLE SLIDING DOOR

SINGLE SLIDING DOOR

DOUBLE SLIDING DOOR IN SINGLE RAIL

IMAGES